

MISE A JOUR LE :	PAR :	NATURE DES MODIFICATIONS :
27/09/202125/07/2019	T. EOM	Changement de responsable
RENOUVELLEMENT LE :	PAR :	

Select test requested: HBV genotyping and drug resistance
 HCV genotyping

PLATFORM OF MOLECULAR BIOLOGY
 Dr Gauthier DELVALLEZ, 012 802 978
 Laboratory contact:
 Ms HENG Seiha, 012 333 105

Sample requirements:

Specimen	Tube types and number	Volume	Storage temperature from collection to IPC reception	Time between collection and IPC reception
Whole blood	1 EDTA tube	3 mL / tube	Room temperature	24 hours max.
Plasma	1 tube	3 mL / tube	+2°C - +8°C	48 hours max.

Sample details:

ថ្ងៃបូមឈាម .Sample collection date:

ម៉ោងបូមឈាម Sample collection time:

Patient details:

នាម-នាមត្រកូល Last Name – First name:

ភេទ: ស្រី ប្រុស
 Sex: F M

ថ្ងៃកំណើត : Date of birth:

មកពី: (មន្ទីរពេទ្យ/ទីក្រុង)From
 (Hospital/City):

កូដអ្នកជំងឺ:Patient code:

គំរោង: Project

IPC កូដ:IPC code:

Co infection: HBV HCV HIV Tuberculosis

Serology **HBV** result: Positive Negative Doubtful NA

Serology **HCV** result: Positive Negative Doubtful NA

Clinical data:

The patient is currently under treatment: Yes No

- Since:

- What kind of treatment:

សំគាល់ / Remarks:

Name of the Doctor:

Doctor's Signature:

Phone Number:

FOR-R1-013 - version 2 du 25/07/2019 / (07/04/2023)